


**AERODROME GROUND MOVEMENT  
AND PARKING CHART - ICAO**

APRON ELEV 2149FT (655m)

TWR 122.1

TARAZ



RWY	DIRECTION (TRUE)	COORDINATES	GEOID UNDULATION	BEARING STRENGTH
13	136.99°	THR 42°51'57.40"N 071°17'15.14"E	- 133	PCN 60 F/B/X/T
31	317.00°	THR 42°50'34.43"N 071°19'00.32"E	- 133	
31		DTHR 42°50'44.41"N 071°18'47.68"E		

ELEV, HGT IN FEET (METERS)  
DIMENSIONS IN METERS  
BRG ARE MAG

VAR 6°E (2020)

ANNUAL RATE  
OF CHANGE 0.03°E

SCALE 1:16000

160 0 160 320 480 Meters

STAND	SURFACE	BEARING STRENGTH
1 - 2	CONC+ASPH	PCN 50/F/B/X/T
3 - 6	CONC+ASPH	PCN 47/F/B/X/T
7 - 8	CONC+ASPH	PCN 19/F/B/Y/T

TWY	WIDTH	SURFACE	BEARING STRENGTH
A	22m	CONC+ASPH	PCN 20/F/B/X/T
B	23m		PCN 60/F/B/X/T
C	15m		PCN 17/F/B/Y/T
D	20m		PCN 20/F/B/X/T
E	19m		PCN 20/F/B/X/T
F	36m		PCN 20/F/B/X/T
P	19.5m		(from B to D) PCN 19/F/B/Y/T (from D to F) PCN 20/F/B/X/T

STANDS	1 - 2	3 - 6
	- for MD11, B-767-200ER, B-767-300ER, B-757-300, B-737-400/500/700/800/900, A-330-200/300, A-340-300, A-310-300, IL-96, TU-204, TU-154, F100, TU-134, YAK-42/40, AN-24/26/30.	- for B-747SP, B-747-100, B747-400, IL-76TD, IL-76T.

SCALE 1:6000

60 0 60 120 180 Meters

CHANGE: Edit.

**TARAZ**

**STANDS CHARACTERISTICS**

<b>Apron</b>	<b>Stand</b>	<b>Coordinates</b>	
		<b>Latitude</b>	<b>Longitude</b>
	1	42 51 57.87 N	071 17 33.39 E
	2	42 51 56.41 N	071 17 35.24 E
	3	42 51 54.57 N	071 17 37.12 E
	4	42 51 52.86 N	071 17 39.28 E
	5	42 51 51.16 N	071 17 41.45 E
	6	42 51 49.45 N	071 17 43.61 E