

TABULAR DESCRIPTION											
ABOTO 1H RWY 12											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course °M(°T)	Magnetic Variation(°)	Distance NM	Turn Direction	Altitude FT	Speed KT	VPA (°)	Navigation Specification
10	IF	ABOTO	-	-	+6.3	-	-	+180 FL/-290 FL	-280	-	RNAV 1
20	TF	SK211	-	304(309.9)	+6.3	26.6	L	+120 FL/-200 FL	-250	-2.1	RNAV 1
30	TF	SK209	-	291(296.9)	+6.3	16.8	L	+8400/-140 FL	-	-2	RNAV 1
40	TF	SK101	-	323(329.6)	+6.3	6.1	R	+7400/-120 FL	-	-1.6	RNAV 1
50	TF	SK110	-	323(329)	+6.3	6.2	-	+6400/-9800	-	-1.5	RNAV 1
60	TF	SK020	-	034(40.2)	+6.3	7.0	R	+5200/-7400	-	-1.6	RNAV 1
70	TF	IFU12	-	034(40.3)	+6.3	6.0	-	+4300/-5300	-230	-1.4	RNAV 1

WAYPOINT LIST											
ABOTO 1H											
Waypoint Identifier				Coordinates							
ABOTO				492544.00N	0830521.00E						
SK211				494241.09N	0823356.37E						
SK209				495014.45N	0821048.75E						
SK101				495527.06N	0820604.08E						
SK110				500047.75N	0820105.13E						
SK020				500607.80N	0820806.59E						
IFU12				501041.78N	0821409.08E						

TABULAR DESCRIPTION											
LASNA 1H RWY 12											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course °M(°T)	Magnetic Variation(°)	Distance NM	Turn Direction	Altitude FT	Speed KT	VPA (°)	Navigation Specification
10	IF	LASNA	-	-	+6.3	-	-	+140 FL/-230 FL	-280	-	RNAV 1
20	TF	SK209	-	019(25.1)	+6.3	26.8	R	+8400/-140 FL	-250	-2	RNAV 1
30	TF	SK101	-	323(329.6)	+6.3	6.1	L	+7400/-120 FL	-	-1.6	RNAV 1
40	TF	SK110	-	323(329)	+6.3	6.2	-	+6400/-9800	-	-1.5	RNAV 1
50	TF	SK020	-	034(40.2)	+6.3	7.0	R	+5200/-7400	-	-1.6	RNAV 1
60	TF	IFU12	-	034(40.3)	+6.3	6.0	-	+4300/-5300	-230	-1.4	RNAV 1

WAYPOINT LIST											
LASNA 1H											
Waypoint Identifier				Coordinates							
LASNA				492602.00N	0815315.00E						
SK209				495014.45N	0821048.75E						
SK101				495527.06N	0820604.08E						
SK110				500047.75N	0820105.13E						
SK020				500607.80N	082006.59E						
IFU12				501041.78N	0821409.08E						

TABULAR DESCRIPTION											
LIRNA 1H RWY 12											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course °M(°T)	Magnetic Variation(°)	Distance NM	Turn Direction	Altitude FT	Speed KT	VPA (°)	Navigation Specification
10	IF	LIRNA	-	-	+6.3	-	-	+120 FL/-190 FL	-280	-	RNAV 1
20	TF	SK120	-	107(113.8)	+6.3	12.5	L	+9000/-150 FL	-250	-2.3	RNAV 1
30	TF	SK110	-	108(114)	+6.3	15.0	-	+6400/-9800	-	-1.6	RNAV 1
40	TF	SK020	-	034(40.2)	+6.3	7.0	L	+5200/-7400	-	-1.6	RNAV 1
50	TF	IFU12	-	034(40.3)	+6.3	6.0	-	+4300/-5300	-230	-1.4	RNAV 1

WAYPOINT LIST											
LIRNA 1H											
Waypoint Identifier				Coordinates							
LIRNA				501159.00N	0812203.00E						
SK120				500655.33N	0813950.50E						
SK110				500047.75N	0820105.13E						
SK020				500607.80N	0820806.59E						
IFU12				501041.78N	0821409.08E						

TABULAR DESCRIPTION											
NOKNA 1H RWY 12											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course °M(°T)	Magnetic Variation(°)	Distance NM	Turn Direction	Altitude FT	Speed KT	VPA (°)	Navigation Specification
10	IF	NOKNA	-	-	+6.3	-	-	+130 FL/-210 FL	-280	-	RNAV 1
20	TF	SK122	-	068(74.1)	+6.3	18.2	R	+9000/-150 FL	-250	-2.1	RNAV 1
30	TF	SK110	-	068(74.5)	+6.3	15.0	-	+6400/-9800	-	-1.6	RNAV 1
40	TF	SK020	-	034(40.2)	+6.3	7.0	L	+5200/-7400	-	-1.6	RNAV 1
50	TF	IFU12	-	034(40.3)	+6.3	6.0	-	+4300/-5300	-230	-1.4	RNAV 1

WAYPOINT LIST											
NOKNA 1H											
Waypoint Identifier				Coordinates							
NOKNA				495154.00N	0811139.00E						
SK122				495648.89N	0813840.97E						
SK110				500047.75N	0820105.13E						
SK020				500607.80N	0820806.59E						
IFU12				501041.78N	0821409.08E						