

## TABULAR DESCRIPTION

ABURA 1M RWY22											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	ABURA	-	-	+8.8	-	-	+FL 120 / -FL 150	-	-	RNAV 1
020	TF	DIPSU	-	057(066.5)	+8.8	50.7	-	+4000	-	-2	RNAV 1

ADOKA 1M RWY22											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	ADOKA	-	-	+8.8	-	-	+FL 120 / -FL 150	-	-	RNAV 1
020	TF	DIPSU	-	133(141.7)	+8.8	36.5	-	+4000	-	-2.8	RNAV 1

ADRIK 1M RWY22											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	ADRIK	-	-	+8.8	-	-	+FL 120 / -FL 150	-	-	RNAV 1
020	TF	KD803	-	236(245.3)	+8.8	27.9	-	+4000	-	-3.7	RNAV 1

AMASO 1M RWY22											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	AMASO	-	-	+8.8	-	-	+FL 120 / -FL 150	-	-	RNAV 1
020	TF	KD803	-	268(276.9)	+8.8	30.7	-	+4000	-	-3.4	RNAV 1

ARMIK 1M RWY22											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	ARMIK	-	-	+8.8	-	-	+FL 120 / -FL 150	-	-	RNAV 1
020	TF	DIPSU	-	070(079.5)	+8.8	48.4	-	+4000	-	-2.1	RNAV 1

ASLIK 1M RWY22											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	ASLIK	-	-	+8.8	-	-	+FL 120 / -FL 150	-	-	RNAV 1
020	TF	LUSUT	-	338(347.2)	+8.8	41.1	-	+4000	-	-2.5	RNAV 1

BURIK 1M RWY22											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	BURIK	-	-	+8.8	-	-	+FL 120 / -FL 150	-	-	RNAV 1
020	TF	LUSUT	-	000(008.8)	+8.8	45.5	-	+4000	-	-2.3	RNAV 1

DINBO 1M RWY22											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	DINBO	-	-	+8.8	-	-	+FL 120 / -FL 150	-	-	RNAV 1
020	TF	DIPSU	-	089(098.4)	+8.8	44.6	-	+4000	-	-2.3	RNAV 1

DITSO 1M RWY22											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	DITSO	-	-	+8.8	-	-	+FL 120 / -FL 150	-	-	RNAV 1
020	TF	LUSUT	-	028(037.2)	+8.8	51.0	-	+4000	-	-2	RNAV 1

DOPAR 1M RWY22											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	DOPAR	-	-	+8.8	-	-	+FL 120 / -FL 150	-	-	RNAV 1
020	TF	KD803	-	197(206.3)	+8.8	28.7	-	+4000	-	-3.6	RNAV 1

## WAYPOINT COORDINATES

Waypoint Identifier	Coordinates	
ABURA	473345.00N	0664312.00E
ADOKA	482224.00N	0671842.00E
ADRIK	480432.00N	0684119.00E
AMASO	474914.00N	0684857.00E
ARMIK	474512.00N	0664137.00E
ASLIK	470509.00N	0681542.00E
BURIK	470012.00N	0675152.00E
DINBO	480029.00N	0664647.00E
DIPSU	475340.14N	0675220.19E
DITSO	470443.00N	0671637.00E
DOPAR	481831.00N	0682229.00E
KD803	475245.04N	0680336.06E
LUSUT	474510.22N	0680213.37E