

#### TABULAR DESCRIPTION

AGMUR 1G RWY05											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	AGMUR	-	-	+7.5	-	-	-FL130	-	-	RNAV 1
020	CF	BUDET	-	108(115.2)	+7.5	13.6	-	-8500	-	-	RNAV 1
030	CF	OO529	-	115(122.1)	+7.5	9.6	R	+5300	-	-	RNAV 1
040	CF	OO519	-	115(122.2)	+7.5	3.6	-	+4200	-	-	RNAV 1
050	TF	BUSAB	-	144(151.2)	+7.5	7.0	R	+2000	-	-	RNAV 1
060	HM	BUSAB	-	144(151.2)	+7.5	5.0	R	+2000/-4000	-210	-	RNAV 1

AMREK 1G RWY05											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	AMREK	-	-	+7.5	-	-	-FL130	-	-	RNAV 1
020	CF	OO522	-	207(214.4)	+7.5	27.7	-	-	-	-	RNAV 1
030	CF	OO526	-	235(242.7)	+7.5	10.6	R	-6300	-	-	RNAV 1
040	CF	OO521	-	233(240.1)	+7.5	6.0	-	-3500	-	-	RNAV 1
050	CF	OO519	-	234(241.4)	+7.5	4.8	-	-2500	-	-	RNAV 1
060	CF	BUSAB	-	144(151.2)	+7.5	7.0	L	+2000	-	-	RNAV 1
070	HM	BUSAB	-	144(151.2)	+7.5	5.0	R	+2000/-4000	-210	-	RNAV 1

DIKAM 1G RWY05											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	DIKAM	-	-	+7.5	-	-	-FL130	-	-	RNAV 1
020	CF	IDMIS	-	274(281.2)	+7.5	31.7	-	-	-	-	RNAV 1
030	CF	OO531	-	233(240.6)	+7.5	17.1	L	-	-	-	RNAV 1
040	CF	GISEK	-	236(243.9)	+7.5	4.4	R	+2000	-	-	RNAV 1
050	HM	GISEK	-	324(331.4)	+7.5	5.0	L	+2000/-4000	-210	-	RNAV 1

NATUS 1G RWY05											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	NATUS	-	-	+7.5	-	-	-FL130	-	-	RNAV 1
020	TF	BUDET	-	071(078.9)	+7.5	15.6	-	-8500	-	-	RNAV 1
030	TF	OO529	-	115(122.1)	+7.5	9.6	R	+5300	-	-	RNAV 1
040	TF	OO519	-	115(122.2)	+7.5	3.6	-	+4200	-	-	RNAV 1
050	TF	BUSAB	-	144(151.2)	+7.5	7.0	R	+2000	-	-	RNAV 1
060	HM	BUSAB	-	144(151.2)	+7.5	5.0	R	+2000/-4000	-210	-	RNAV 1

#### WAYPOINT COORDINATES

Waypoint Identifier	Coordinates	
AGMUR	450056.00N	0644106.00E
AMREK	452109.00N	0660226.00E
BUDET	445507.00N	0645824.00E
BUSAB	444159.37N	0651843.80E
DIKAM	443650.00N	0663555.00E
GISEK	443230.96N	0652559.17E
IDMIS	444250.70N	0655217.80E
NATUS	445208.00N	0643650.00E
OO519	444807.58N	0651400.35E
OO521	445025.72N	0651955.39E
OO522	445816.78N	0654025.54E
OO526	445325.44N	0652714.01E
OO529	445001.30N	0650947.32E
OO531	443427.35N	0653130.37E