

TABULAR DESCRIPTION																																						
DOTAL 2P																																						
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course °M(°T)	Magnetic Variation(°)	Distance NM	Turn Direction	Altitude FT	Speed KT	VPA (°)	Navigation Specification																											
10	IF	DOTAL	-		5.12	0	-	+FL250	-315	-	RNAV1																											
20	TF	AA059	-	245(249.8)	5.12	22.8	-	+FL220	-280	-	RNAV1																											
30	TF	AA080	-	162(167)	5.12	25.9	L	+FL200	-280	-	RNAV1																											
40	TF	AA281	-	234(238.8)	5.12	13.5	R	+FL170	-280	-	RNAV1																											
50	TF	ATA	-	250(254.9)	5.12	20	R	+FL120	-280	-	RNAV1																											
60	TF	AA064	-	262(267.3)	5.12	10.4	R	+8700	-210	-	RNAV1																											
70	TF	ALOLI	-	230(235.5)	5.12	5.8	L	+6900	-210	-	RNAV1																											
80	TF	GOSLU	-	141(145.8)	5.12	5.4	L	+5200	-210	-	RNAV1																											
WAYPOINT LIST				<div><div></div><div>WAYPOINT LIST</div><div>GOGDO 2M</div><table><tr><th>Waypoint Identifier</th><th colspan="2">Coordinates</th></tr><tr><td>GOGDO</td><td>442524.00N</td><td>0772618.00E</td></tr><tr><td>AA059</td><td>435956.93N</td><td>0773919.06E</td></tr><tr><td>AA080</td><td>433443.05N</td><td>0774723.42E</td></tr><tr><td>AA281</td><td>432744.74N</td><td>0773130.04E</td></tr><tr><td>ATA</td><td>432229.35N</td><td>0770506.95E</td></tr><tr><td>AA064</td><td>432158.53N</td><td>0765054.64E</td></tr><tr><td>ALOLI</td><td>431840.90N</td><td>0764420.60E</td></tr><tr><td>GOSLU</td><td>431413.06N</td><td>0764829.77E</td></tr></table></div>								Waypoint Identifier	Coordinates		GOGDO	442524.00N	0772618.00E	AA059	435956.93N	0773919.06E	AA080	433443.05N	0774723.42E	AA281	432744.74N	0773130.04E	ATA	432229.35N	0770506.95E	AA064	432158.53N	0765054.64E	ALOLI	431840.90N	0764420.60E	GOSLU	431413.06N	0764829.77E
Waypoint Identifier	Coordinates																																					
GOGDO	442524.00N	0772618.00E																																				
AA059	435956.93N	0773919.06E																																				
AA080	433443.05N	0774723.42E																																				
AA281	432744.74N	0773130.04E																																				
ATA	432229.35N	0770506.95E																																				
AA064	432158.53N	0765054.64E																																				
ALOLI	431840.90N	0764420.60E																																				
GOSLU	431413.06N	0764829.77E																																				
DOTAL 2P																																						
Waypoint Identifier	Coordinates																																					
DOTAL	440745.00N	0780904.00E																																				
AA059	435956.93N	0773919.06E																																				
AA080	433443.05N	0774723.42E																																				
AA281	432744.74N	0773130.04E																																				
ATA	432229.35N	0770506.95E																																				
AA064	432158.53N	0765054.64E																																				
ALOLI	431840.90N	0764420.60E																																				
GOSLU	431413.06N	0764829.77E																																				
TABULAR DESCRIPTION																																						
GOGDO 2M																																						
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course °M(°T)	Magnetic Variation(°)	Distance NM	Turn Direction	Altitude FT	Speed KT	VPA (°)	Navigation Specification																											
10	IF	GOGDO	-		5.12	0	-	+FL250	-315	-	RNAV1																											
20	TF	AA059	-	155(159.9)	5.12	27.1	L	+FL220	-280	-	RNAV1																											
30	TF	AA080	-	162(167)	5.12	25.9	R	+FL200	-280	-	RNAV1																											
40	TF	AA281	-	234(238.8)	5.12	13.5	R	+FL170	-280	-	RNAV1																											
50	TF	ATA	-	250(254.9)	5.12	20	R	+FL120	-280	-	RNAV1																											
60	TF	AA064	-	262(267.3)	5.12	10.4	R	+8700	-210	-	RNAV1																											
70	TF	ALOLI	-	230(235.5)	5.12	5.8	L	+6900	-210	-	RNAV1																											
80	TF	GOSLU	-	141(145.8)	5.12	5.4	L	+5200	-210	-	RNAV1																											