


STANDARD DEPARTURE
CHART - INSTRUMENT
(SID) - ICAO

TRANSITION ALTITUDE
10000 FT

TOWER FREQ
SEE NOTAM

ESKIZ 1A, PAVEL 1A,
RAZBI 1A, TONLA 1A

BOZHBAN
RWY 02R



TABULAR
DESCRIPTION

ESKIZ 1A RWY02R											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course °M(°T)	Magnetic Variation(°)	Distance NM	Turn Direction	Altitude FT	Speed KT	VPA (°)	Navigation Specification
010	CA	-	-	021(027.9)	+6.54	6.7	-	+2000	-	1.9	RNP 1
020	DF	ESKIZ	-	-	+6.54	-	R	+FL 120	-	1.9	RNP 1

TABULAR
DESCRIPTION

PAVEL 1A RWY02R											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course °M(°T)	Magnetic Variation(°)	Distance NM	Turn Direction	Altitude FT	Speed KT	VPA (°)	Navigation Specification
010	CA	-	-	021(027.9)	+6.54	6.7	-	+2000	-	1.9	RNP 1
020	DF	PAVEL	-	-	+6.54	-	L	+FL 120	-	2.4	RNP 1

TABULAR
DESCRIPTION

RAZBI 1A RWY02R											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course °M(°T)	Magnetic Variation(°)	Distance NM	Turn Direction	Altitude FT	Speed KT	VPA (°)	Navigation Specification
010	CA	-	-	021(027.9)	+6.54	6.7	-	+2000	-	1.9	RNP 1
020	CF	RAZBI	-	007(013.1)	+6.54	-	L	+4000	-	1.9	RNP 1

TABULAR
DESCRIPTION

TONLA 1A RWY02R											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course °M(°T)	Magnetic Variation(°)	Distance NM	Turn Direction	Altitude FT	Speed KT	VPA (°)	Navigation Specification
010	CA	-	-	021(027.9)	+6.54	6.7	-	+2000	-	1.9	RNP 1
020	DF	TONLA	-	-	+6.54	-	R	+6000	-	1.9	RNP 1

WAYPOINT COORDINATES

WPT	COORD	
DER	42°46'38.28"N	067°30'13.11"E
ESKIZ	42°05'21.00"N	067°04'29.00"E
PAVEL	42°59'47.00"N	066°46'42.00"E
RAZBI	42°59'54.00"N	067°35'33.00"E
TONLA	42°13'34.00"N	068°15'08.00"E