

**TABULAR DESCRIPTION**

ABURA 1A RWY04											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	ABURA	-	-	+8.8	-	-	+FL120/-FL150	-	-	RNAV 1
020	TF	AGEBO	-	068(077.5)	+8.8	30.2	-	+4000	-	-3.4	RNAV 1

ADOKA 1A RWY04											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	ADOKA	-	-	+8.8	-	-	+FL120/-FL150	-	-	RNAV 1
020	TF	AGEBO	-	164(172.6)	+8.8	42.6	-	+4000	-	-2.4	RNAV 1

ADRIK 1A RWY04											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	ADRIK	-	-	+8.8	-	-	+FL120/-FL150	-	-	RNAV 1
020	TF	OSMOG	-	224(233.3)	+8.8	54.5	-	+4000	-	-1.9	RNAV 1

AMASO 1A RWY04											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	AMASO	-	-	+8.8	-	-	+FL120/-FL150	-	-	RNAV 1
020	TF	OSMOG	-	242(250.6)	+8.8	51.9	-	+4000	-	-2	RNAV 1

ARMIK 1A RWY04											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	ARMIK	-	-	+8.8	-	-	+FL120/-FL150	-	-	RNAV 1
020	TF	AGEBO	-	090(099.1)	+8.8	31.0	-	+4000	-	-3.3	RNAV 1

ASLIK 1A RWY04											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	ASLIK	-	-	+8.8	-	-	+FL120/-FL150	-	-	RNAV 1
020	TF	OSMOG	-	306(315.3)	+8.8	37.5	-	+4000	-	-2.8	RNAV 1

BURIK 1A RWY04											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	BURIK	-	-	+8.8	-	-	+FL120/-FL150	-	-	RNAV 1
020	TF	OSMOG	-	333(342.0)	+8.8	33.1	-	+4000	-	-3.1	RNAV 1

DINBO 1A RWY04											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	DINBO	-	-	+8.8	-	-	+FL120/-FL150	-	-	RNAV 1
020	TF	AGEBO	-	118(126.7)	+8.8	33.8	-	+4000	-	-3.1	RNAV 1

DITSO 1A RWY04											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	DITSO	-	-	+8.8	-	-	+FL120/-FL150	-	-	RNAV 1
020	TF	OSMOG	-	018(026.8)	+8.8	30.2	-	+4000	-	-3.4	RNAV 1

DOPAR 1A RWY04											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course M°(T°)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA (°)	Navigation Specification
010	IF	DOPAR	-	-	+8.8	-	-	+FL120/-FL150	-	-	RNAV 1
020	TF	AGEBO	-	216(224.6)	+8.8	53.5	-	+4000	-	-1.9	RNAV 1

**WAYPOINT COORDINATES**

Waypoint Identifier	Coordinates	
ABURA	473345.00N	0664312.00E
ADOKA	482224.00N	0671842.00E
ADRIK	480432.00N	0684119.00E
AGEBO	474009.80N	0672651.85E
AMASO	474914.00N	0684857.00E
ARMIK	474512.00N	0664137.00E
ASLIK	470509.00N	0681542.00E
BURIK	470012.00N	0675152.00E
DINBO	480029.00N	0664647.00E
DITSO	470443.00N	0671637.00E
DOPAR	481831.00N	0682229.00E
OSMOG	473140.31N	0673643.23E