

AD 0.6 TABLE OF CONTENTS TO PART 3**AD 0**

| | | |
|--------|---|------------|
| AD 0.1 | PREFACE - NOT APPLICABLE | AD-0.1 - 1 |
| AD 0.2 | RECORD OF AIP AMENDMENTS - NOT APPLICABLE | AD-0.2 - 1 |
| AD 0.3 | RECORD OF AIP SUPPLEMENTS - NOT APPLICABLE | AD-0.3 - 1 |
| AD 0.4 | CHECKLIST OF AIP PAGES - NOT APPLICABLE | AD-0.4 - 1 |
| AD 0.5 | LIST OF HAND AMENDMENTS TO THE AIP - NOT APPLICABLE | AD-0.5 - 1 |
| AD 0.6 | TABLE OF CONTENTS TO PART 3 | AD-0.6 - 1 |

AD 1 AERODROMES/HELIPORTS - INTRODUCTION

| | | |
|--------|---|------------|
| AD 1.1 | AERODROME/HELIPORT AVAILABILITY AND CONDITIONS OF USE | AD-1.1 - 1 |
| AD 1.2 | RESCUE AND FIRE FIGHTING SERVICES AND SNOW PLAN | AD-1.2 - 1 |
| AD 1.3 | INDEX TO AERODROMES AND HELIPORTS | AD-1.3 - 1 |
| AD 1.4 | GROUPING OF AERODROMES AND HELIPORTS | AD-1.4 - 1 |
| AD 1.5 | STATUS OF CERTIFICATION OF AERODROMES | AD-1.5 - 1 |

AD 2 AERODROMES

| | | |
|-------------|---|---------------|
| UATE AD 2 | | AD-2-UATE - 1 |
| UATE AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UATE - 1 |

UATE - AKTAU

| | | |
|--------------|---|----------------|
| UATE AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UATE - 1 |
| UATE AD 2.3 | Operational Hours | AD-2-UATE - 1 |
| UATE AD 2.4 | Handling Services And Facilities | AD-2-UATE - 2 |
| UATE AD 2.5 | Passenger Facilities | AD-2-UATE - 2 |
| UATE AD 2.6 | Rescue And Fire Fighting Services | AD-2-UATE - 2 |
| UATE AD 2.7 | Seasonal Availability - Clearing | AD-2-UATE - 3 |
| UATE AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UATE - 3 |
| UATE AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UATE - 3 |
| UATE AD 2.10 | Aerodrome Obstacles | AD-2-UATE - 3 |
| UATE AD 2.11 | Meteorological Information Provided | AD-2-UATE - 4 |
| UATE AD 2.12 | Runway Physical Characteristics | AD-2-UATE - 4 |
| UATE AD 2.13 | Declared Distances | AD-2-UATE - 5 |
| UATE AD 2.14 | Approach And Runway Lighting | AD-2-UATE - 5 |
| UATE AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UATE - 6 |
| UATE AD 2.16 | Helicopter Landing Area | AD-2-UATE - 6 |
| UATE AD 2.17 | ATS Airspace | AD-2-UATE - 6 |
| UATE AD 2.18 | ATS Communication Facilities | AD-2-UATE - 6 |
| UATE AD 2.19 | Radio Navigation And Landing Aids | AD-2-UATE - 7 |
| UATE AD 2.20 | Local Aerodrome Regulations | AD-2-UATE - 7 |
| UATE AD 2.21 | Noise Abatement Procedures | AD-2-UATE - 10 |
| UATE AD 2.22 | Flight Procedures | AD-2-UATE - 10 |
| UATE AD 2.23 | Additional Information | AD-2-UATE - 13 |
| UATE AD 2.24 | Charts Related To An Aerodrome | AD-2-UATE - 14 |

| | | |
|--------------|---|----------------|
| UATE AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UATE - 14 |
| UATT AD 2 | | AD-2-UATT - 1 |
| UATT AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UATT - 1 |

UATT - AKTOBE

| | | |
|--------------|---|----------------|
| UATT AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UATT - 1 |
| UATT AD 2.3 | Operational Hours | AD-2-UATT - 1 |
| UATT AD 2.4 | Handling Services And Facilities | AD-2-UATT - 2 |
| UATT AD 2.5 | Passenger Facilities | AD-2-UATT - 2 |
| UATT AD 2.6 | Rescue And Fire Fighting Services | AD-2-UATT - 2 |
| UATT AD 2.7 | Seasonal Availability - Clearing | AD-2-UATT - 3 |
| UATT AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UATT - 3 |
| UATT AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UATT - 3 |
| UATT AD 2.10 | Aerodrome Obstacles | AD-2-UATT - 4 |
| UATT AD 2.11 | Meteorological Information Provided | AD-2-UATT - 4 |
| UATT AD 2.12 | Runway Physical Characteristics | AD-2-UATT - 4 |
| UATT AD 2.13 | Declared Distances | AD-2-UATT - 5 |
| UATT AD 2.14 | Approach And Runway Lighting | AD-2-UATT - 5 |
| UATT AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UATT - 5 |
| UATT AD 2.16 | Helicopter Landing Area | AD-2-UATT - 5 |
| UATT AD 2.17 | ATS Airspace | AD-2-UATT - 5 |
| UATT AD 2.18 | ATS Communication Facilities | AD-2-UATT - 6 |
| UATT AD 2.19 | Radio Navigation And Landing Aids | AD-2-UATT - 6 |
| UATT AD 2.20 | Local Aerodrome Regulations | AD-2-UATT - 6 |
| UATT AD 2.21 | Noise Abatement Procedures | AD-2-UATT - 8 |
| UATT AD 2.22 | Flight Procedures | AD-2-UATT - 8 |
| UATT AD 2.23 | Additional Information | AD-2-UATT - 10 |
| UATT AD 2.24 | Charts Related To An Aerodrome | AD-2-UATT - 12 |
| UATT AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UATT - 12 |
| UAAA AD 2 | | AD-2-UAAA - 1 |
| UAAA AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UAAA - 1 |

UAAA - ALMATY

| | | |
|--------------|---|---------------|
| UAAA AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UAAA - 1 |
| UAAA AD 2.3 | Operational Hours | AD-2-UAAA - 1 |
| UAAA AD 2.4 | Handling Services And Facilities | AD-2-UAAA - 2 |
| UAAA AD 2.5 | Passenger Facilities | AD-2-UAAA - 2 |
| UAAA AD 2.6 | Rescue And Fire Fighting Services | AD-2-UAAA - 2 |
| UAAA AD 2.7 | Seasonal Availability - Clearing | AD-2-UAAA - 2 |
| UAAA AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UAAA - 3 |
| UAAA AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UAAA - 4 |
| UAAA AD 2.10 | Aerodrome Obstacles | AD-2-UAAA - 4 |
| UAAA AD 2.11 | Meteorological Information Provided | AD-2-UAAA - 4 |
| UAAA AD 2.12 | Runway Physical Characteristics | AD-2-UAAA - 5 |

| | | |
|--------------|---|----------------|
| UAAA AD 2.13 | Declared Distances | AD-2-UAAA - 6 |
| UAAA AD 2.14 | Approach And Runway Lighting | AD-2-UAAA - 7 |
| UAAA AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UAAA - 8 |
| UAAA AD 2.16 | Helicopter Landing Area | AD-2-UAAA - 8 |
| UAAA AD 2.17 | ATS Airspace | AD-2-UAAA - 8 |
| UAAA AD 2.18 | ATS Communication Facilities | AD-2-UAAA - 9 |
| UAAA AD 2.19 | Radio Navigation And Landing Aids | AD-2-UAAA - 9 |
| UAAA AD 2.20 | Local Aerodrome Regulations | AD-2-UAAA - 10 |
| UAAA AD 2.21 | Noise Abatement Procedures | AD-2-UAAA - 16 |
| UAAA AD 2.22 | Flight Procedures | AD-2-UAAA - 16 |
| UAAA AD 2.23 | Additional Information | AD-2-UAAA - 21 |
| UAAA AD 2.24 | Charts Related To An Aerodrome | AD-2-UAAA - 22 |
| UAAA AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UAAA - 24 |
| UACC AD 2 | | AD-2-UACC - 1 |
| UACC AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UACC - 1 |

UACC - ASTANA

| | | |
|--------------|---|----------------|
| UACC AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UACC - 1 |
| UACC AD 2.3 | Operational Hours | AD-2-UACC - 1 |
| UACC AD 2.4 | Handling Services And Facilities | AD-2-UACC - 2 |
| UACC AD 2.5 | Passenger Facilities | AD-2-UACC - 2 |
| UACC AD 2.6 | Rescue And Fire Fighting Services | AD-2-UACC - 2 |
| UACC AD 2.7 | Seasonal Availability - Clearing | AD-2-UACC - 3 |
| UACC AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UACC - 4 |
| UACC AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UACC - 5 |
| UACC AD 2.10 | Aerodrome Obstacles | AD-2-UACC - 5 |
| UACC AD 2.11 | Meteorological Information Provided | AD-2-UACC - 6 |
| UACC AD 2.12 | Runway Physical Characteristics | AD-2-UACC - 6 |
| UACC AD 2.13 | Declared Distances | AD-2-UACC - 7 |
| UACC AD 2.14 | Approach And Runway Lighting | AD-2-UACC - 7 |
| UACC AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UACC - 7 |
| UACC AD 2.16 | Helicopter Landing Area | AD-2-UACC - 8 |
| UACC AD 2.17 | ATS Airspace | AD-2-UACC - 8 |
| UACC AD 2.18 | ATS Communication Facilities | AD-2-UACC - 8 |
| UACC AD 2.19 | Radio Navigation And Landing Aids | AD-2-UACC - 9 |
| UACC AD 2.20 | Local Aerodrome Regulations | AD-2-UACC - 9 |
| UACC AD 2.21 | Noise Abatement Procedures | AD-2-UACC - 10 |
| UACC AD 2.22 | Flight Procedures | AD-2-UACC - 10 |
| UACC AD 2.23 | Additional Information | AD-2-UACC - 13 |
| UACC AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UACC - 15 |
| UATG AD 2 | | AD-2-UATG - 1 |
| UATG AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UATG - 1 |

UATG - ATYRAU

| | | |
|--------------|---|----------------|
| UATG AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UATG - 1 |
| UATG AD 2.3 | Operational Hours | AD-2-UATG - 1 |
| UATG AD 2.4 | Handling Services And Facilities | AD-2-UATG - 2 |
| UATG AD 2.5 | Passenger Facilities | AD-2-UATG - 2 |
| UATG AD 2.6 | Rescue And Fire Fighting Services | AD-2-UATG - 2 |
| UATG AD 2.7 | Seasonal Availability - Clearing | AD-2-UATG - 3 |
| UATG AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UATG - 3 |
| UATG AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UATG - 3 |
| UATG AD 2.10 | Aerodrome Obstacles | AD-2-UATG - 4 |
| UATG AD 2.11 | Meteorological Information Provided | AD-2-UATG - 4 |
| UATG AD 2.12 | Runway Physical Characteristics | AD-2-UATG - 4 |
| UATG AD 2.13 | Declared Distances | AD-2-UATG - 5 |
| UATG AD 2.14 | Approach And Runway Lighting | AD-2-UATG - 5 |
| UATG AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UATG - 6 |
| UATG AD 2.16 | Helicopter Landing Area | AD-2-UATG - 6 |
| UATG AD 2.17 | ATS Airspace | AD-2-UATG - 6 |
| UATG AD 2.18 | ATS Communication Facilities | AD-2-UATG - 7 |
| UATG AD 2.19 | Radio Navigation And Landing Aids | AD-2-UATG - 7 |
| UATG AD 2.20 | Local Aerodrome Regulations | AD-2-UATG - 7 |
| UATG AD 2.21 | Noise Abatement Procedures | AD-2-UATG - 11 |
| UATG AD 2.22 | Flight Procedures | AD-2-UATG - 11 |
| UATG AD 2.23 | Additional Information | AD-2-UATG - 15 |
| UATG AD 2.24 | Charts Related To An Aerodrome | AD-2-UATG - 16 |
| UATG AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UATG - 16 |
| UAAH AD 2 | | AD-2-UAAH - 1 |
| UAAH AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UAAH - 1 |

UAAH - BALKHASH

| | | |
|--------------|---|---------------|
| UAAH AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UAAH - 1 |
| UAAH AD 2.3 | Operational Hours | AD-2-UAAH - 1 |
| UAAH AD 2.4 | Handling Services And Facilities | AD-2-UAAH - 2 |
| UAAH AD 2.5 | Passenger Facilities | AD-2-UAAH - 2 |
| UAAH AD 2.6 | Rescue And Fire Fighting Services | AD-2-UAAH - 2 |
| UAAH AD 2.7 | Seasonal Availability - Clearing | AD-2-UAAH - 2 |
| UAAH AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UAAH - 3 |
| UAAH AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UAAH - 3 |
| UAAH AD 2.10 | Aerodrome Obstacles | AD-2-UAAH - 3 |
| UAAH AD 2.11 | Meteorological Information Provided | AD-2-UAAH - 3 |
| UAAH AD 2.12 | Runway Physical Characteristics | AD-2-UAAH - 4 |
| UAAH AD 2.13 | Declared Distances | AD-2-UAAH - 4 |
| UAAH AD 2.14 | Approach And Runway Lighting | AD-2-UAAH - 5 |
| UAAH AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UAAH - 5 |
| UAAH AD 2.16 | Helicopter Landing Area | AD-2-UAAH - 5 |

| | | |
|--------------|---|---------------|
| UAAH AD 2.17 | ATS Airspace | AD-2-UAAH - 5 |
| UAAH AD 2.18 | ATS Communication Facilities | AD-2-UAAH - 6 |
| UAAH AD 2.19 | Radio Navigation And Landing Aids | AD-2-UAAH - 6 |
| UAAH AD 2.20 | Local Aerodrome Regulations | AD-2-UAAH - 6 |
| UAAH AD 2.21 | Noise Abatement Procedures | AD-2-UAAH - 6 |
| UAAH AD 2.22 | Flight Procedures | AD-2-UAAH - 7 |
| UAAH AD 2.23 | Additional Information | AD-2-UAAH - 8 |
| UAAH AD 2.24 | Charts Related To An Aerodromem | AD-2-UAAH - 9 |
| UAAH AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UAAH - 9 |
| UAIK AD 2 | | AD-2-UAIK - 1 |
| UAIK AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UAIK - 1 |

UAIK - BOZHBAN

| | | |
|--------------|---|---------------|
| UAIK AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UAIK - 1 |
| UAIK AD 2.3 | Operational Hours | AD-2-UAIK - 1 |
| UAIK AD 2.4 | Handling Services And Facilities | AD-2-UAIK - 2 |
| UAIK AD 2.5 | Passenger Facilities | AD-2-UAIK - 2 |
| UAIK AD 2.6 | Rescue And Fire Fighting Services | AD-2-UAIK - 2 |
| UAIK AD 2.7 | Seasonal Availability - Clearing | AD-2-UAIK - 2 |
| UAIK AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UAIK - 2 |
| UAIK AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UAIK - 3 |
| UAIK AD 2.10 | Aerodrome Obstacles | AD-2-UAIK - 3 |
| UAIK AD 2.11 | Meteorological Information Provided | AD-2-UAIK - 3 |
| UAIK AD 2.12 | Runway Physical Characteristics | AD-2-UAIK - 4 |
| UAIK AD 2.13 | Declared Distances | AD-2-UAIK - 4 |
| UAIK AD 2.14 | Approach And Runway Lighting | AD-2-UAIK - 5 |
| UAIK AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UAIK - 5 |
| UAIK AD 2.16 | Helicopter Landing Area | AD-2-UAIK - 5 |
| UAIK AD 2.17 | ATS Airspace | AD-2-UAIK - 5 |
| UAIK AD 2.18 | ATS Communication Facilities | AD-2-UAIK - 6 |
| UAIK AD 2.19 | Radio Navigation And Landing Aids | AD-2-UAIK - 6 |
| UAIK AD 2.20 | Local Traffic Regulations | AD-2-UAIK - 6 |
| UAIK AD 2.21 | Noise Abatement Procedures | AD-2-UAIK - 7 |
| UAIK AD 2.22 | Flight Procedures | AD-2-UAIK - 7 |
| UAIK AD 2.23 | Additional Information | AD-2-UAIK - 8 |
| UAIK AD 2.24 | Charts Related To An Aerodrome | AD-2-UAIK - 8 |
| UAIK AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UAIK - 8 |
| UAKK AD 2 | | AD-2-UAKK - 1 |
| UAKK AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UAKK - 1 |

UAKK - KARAGANDA

| | | |
|-------------|--|---------------|
| UAKK AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UAKK - 1 |
| UAKK AD 2.3 | Operational Hours | AD-2-UAKK - 1 |
| UAKK AD 2.4 | Handling Services And Facilities | AD-2-UAKK - 2 |

| | | |
|--------------|---|----------------|
| UAKK AD 2.5 | Passenger Facilities | AD-2-UAKK - 2 |
| UAKK AD 2.6 | Rescue And Fire Fighting Services | AD-2-UAKK - 2 |
| UAKK AD 2.7 | Seasonal Availability - Clearing | AD-2-UAKK - 2 |
| UAKK AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UAKK - 3 |
| UAKK AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UAKK - 3 |
| UAKK AD 2.10 | Aerodrome Obstacles | AD-2-UAKK - 4 |
| UAKK AD 2.11 | Meteorological Information Provided | AD-2-UAKK - 4 |
| UAKK AD 2.12 | Runway Physical Characteristics | AD-2-UAKK - 4 |
| UAKK AD 2.13 | Declared Distances | AD-2-UAKK - 5 |
| UAKK AD 2.14 | Approach And Runway Lighting | AD-2-UAKK - 5 |
| UAKK AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UAKK - 6 |
| UAKK AD 2.16 | Helicopter Landing Area | AD-2-UAKK - 6 |
| UAKK AD 2.17 | ATS Airspace | AD-2-UAKK - 6 |
| UAKK AD 2.18 | ATS Communication Facilities | AD-2-UAKK - 6 |
| UAKK AD 2.19 | Radio Navigation And Landing Aids | AD-2-UAKK - 7 |
| UAKK AD 2.20 | Local Aerodrome Regulations | AD-2-UAKK - 7 |
| UAKK AD 2.21 | Noise Abatement Procedures | AD-2-UAKK - 11 |
| UAKK AD 2.22 | Flight procedures | AD-2-UAKK - 11 |
| UAKK AD 2.23 | Additional Information | AD-2-UAKK - 14 |
| UAKK AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UAKK - 16 |
| UACK AD 2 | | AD-2-UACK - 1 |
| UACK AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UACK - 1 |

UACK - KOKSHETAU

| | | |
|--------------|---|---------------|
| UACK AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UACK - 1 |
| UACK AD 2.3 | Operational Hours | AD-2-UACK - 1 |
| UACK AD 2.4 | Handling Services And Facilities | AD-2-UACK - 2 |
| UACK AD 2.5 | Passenger Facilities | AD-2-UACK - 2 |
| UACK AD 2.6 | Rescue And Fire Fighting Services | AD-2-UACK - 2 |
| UACK AD 2.7 | Seasonal Availability - Clearing | AD-2-UACK - 3 |
| UACK AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UACK - 3 |
| UACK AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UACK - 3 |
| UACK AD 2.10 | Aerodrome Obstacles | AD-2-UACK - 3 |
| UACK AD 2.11 | Meteorological Information Provided | AD-2-UACK - 3 |
| UACK AD 2.12 | Runway Physical Characteristics | AD-2-UACK - 4 |
| UACK AD 2.13 | Declared Distances | AD-2-UACK - 4 |
| UACK AD 2.14 | Approach And Runway Lighting | AD-2-UACK - 5 |
| UACK AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UACK - 5 |
| UACK AD 2.16 | Helicopter Landing Area | AD-2-UACK - 5 |
| UACK AD 2.17 | ATS Airspace | AD-2-UACK - 5 |
| UACK AD 2.18 | ATS Communication Facilities | AD-2-UACK - 6 |
| UACK AD 2.19 | Radio Navigation And Landing Aids | AD-2-UACK - 6 |
| UACK AD 2.20 | Local Aerodrome Regulations | AD-2-UACK - 6 |

| | | |
|--------------|---|----------------|
| UACK AD 2.21 | Noise Abatement Procedures | AD-2-UACK - 7 |
| UACK AD 2.22 | Flight Procedures | AD-2-UACK - 7 |
| UACK AD 2.23 | Additional Information | AD-2-UACK - 9 |
| UACK AD 2.24 | Charts Related To An Aerodrome | AD-2-UACK - 10 |
| UACK AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UACK - 10 |
| UAUU AD 2 | | AD-2-UAUU - 1 |
| UAUU AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UAUU - 1 |

UAUU - KOSTANAY

| | | |
|--------------|---|----------------|
| UAUU AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UAUU - 1 |
| UAUU AD 2.3 | Operational Hours | AD-2-UAUU - 1 |
| UAUU AD 2.4 | Handling Services And Facilities | AD-2-UAUU - 2 |
| UAUU AD 2.5 | Passenger Facilities | AD-2-UAUU - 2 |
| UAUU AD 2.6 | Rescue And Fire Fighting Services | AD-2-UAUU - 2 |
| UAUU AD 2.7 | Seasonal Availability - Clearing | AD-2-UAUU - 2 |
| UAUU AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UAUU - 3 |
| UAUU AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UAUU - 3 |
| UAUU AD 2.10 | Aerodrome Obstacles | AD-2-UAUU - 3 |
| UAUU AD 2.11 | Meteorological Information Provided | AD-2-UAUU - 4 |
| UAUU AD 2.12 | Runway Physical Characteristics | AD-2-UAUU - 4 |
| UAUU AD 2.13 | Declared Distances | AD-2-UAUU - 6 |
| UAUU AD 2.14 | Approach And Runway Lighting | AD-2-UAUU - 6 |
| UAUU AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UAUU - 6 |
| UAUU AD 2.16 | Helicopter Landing Area | AD-2-UAUU - 6 |
| UAUU AD 2.17 | ATS Airspace | AD-2-UAUU - 6 |
| UAUU AD 2.18 | ATS Communication Facilities | AD-2-UAUU - 7 |
| UAUU AD 2.19 | Radio Navigation And Landing Aids | AD-2-UAUU - 7 |
| UAUU AD 2.20 | Local Aerodrome Regulations | AD-2-UAUU - 8 |
| UAUU AD 2.21 | Noise Abatement Procedures | AD-2-UAUU - 11 |
| UAUU AD 2.22 | Flight Procedures | AD-2-UAUU - 11 |
| UAUU AD 2.23 | Additional Information | AD-2-UAUU - 13 |
| UAUU AD 2.24 | Charts Related To An Aerodrome | AD-2-UAUU - 14 |
| UAUU AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UAUU - 14 |
| UAOO AD 2 | | AD-2-UAOO - 1 |
| UAOO AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UAOO - 1 |

UAOO - KYZYLORDA

| | | |
|-------------|---|---------------|
| UAOO AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UAOO - 1 |
| UAOO AD 2.3 | Operational Hours | AD-2-UAOO - 1 |
| UAOO AD 2.4 | Handling Services And Facilities | AD-2-UAOO - 2 |
| UAOO AD 2.5 | Passenger Facilities | AD-2-UAOO - 2 |
| UAOO AD 2.6 | Rescue And Fire Fighting Services | AD-2-UAOO - 2 |
| UAOO AD 2.7 | Seasonal Availability - Clearing | AD-2-UAOO - 3 |
| UAOO AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UAOO - 3 |

| | | |
|--------------|---|----------------|
| UAOO AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UAOO - 3 |
| UAOO AD 2.10 | Aerodrome Obstacles | AD-2-UAOO - 3 |
| UAOO AD 2.11 | Meteorological Information Provided | AD-2-UAOO - 4 |
| UAOO AD 2.12 | Runway Physical Characteristics | AD-2-UAOO - 4 |
| UAOO AD 2.13 | Declared Distances | AD-2-UAOO - 5 |
| UAOO AD 2.14 | Approach And Runway Lighting | AD-2-UAOO - 5 |
| UAOO AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UAOO - 5 |
| UAOO AD 2.16 | Helicopter Landing Area | AD-2-UAOO - 6 |
| UAOO AD 2.17 | ATS Airspace | AD-2-UAOO - 6 |
| UAOO AD 2.18 | ATS Communication Facilities | AD-2-UAOO - 6 |
| UAOO AD 2.19 | Radio Navigation And Landing Aids | AD-2-UAOO - 7 |
| UAOO AD 2.20 | Local Aerodrome Regulations | AD-2-UAOO - 7 |
| UAOO AD 2.21 | Noise Abatement Procedures | AD-2-UAOO - 8 |
| UAOO AD 2.22 | Flight procedures | AD-2-UAOO - 8 |
| UAOO AD 2.23 | Additional Information | AD-2-UAOO - 9 |
| UAOO AD 2.24 | Charts Related To An Aerodrome | AD-2-UAOO - 10 |
| UAOO AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UAOO - 10 |
| UASP AD 2 | | AD-2-UASP - 1 |
| UASP AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UASP - 1 |

UASP - PAVLODAR

| | | |
|--------------|---|----------------|
| UASP AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UASP - 1 |
| UASP AD 2.3 | Operational Hours | AD-2-UASP - 1 |
| UASP AD 2.4 | Handling Services And Facilities | AD-2-UASP - 2 |
| UASP AD 2.5 | Passenger Facilities | AD-2-UASP - 2 |
| UASP AD 2.6 | Rescue And Fire Fighting Services | AD-2-UASP - 2 |
| UASP AD 2.7 | Seasonal Availability - Clearing | AD-2-UASP - 2 |
| UASP AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UASP - 3 |
| UASP AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UASP - 3 |
| UASP AD 2.10 | Aerodrome Obstacles | AD-2-UASP - 3 |
| UASP AD 2.11 | Meteorological Information Provided | AD-2-UASP - 3 |
| UASP AD 2.12 | Runway Physical Characteristics | AD-2-UASP - 4 |
| UASP AD 2.13 | Declared Distances | AD-2-UASP - 5 |
| UASP AD 2.14 | Approach And Runway Lighting | AD-2-UASP - 5 |
| UASP AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UASP - 5 |
| UASP AD 2.16 | Helicopter Landing Area | AD-2-UASP - 5 |
| UASP AD 2.17 | ATS Airspace | AD-2-UASP - 6 |
| UASP AD 2.18 | ATS Communication Facilities | AD-2-UASP - 6 |
| UASP AD 2.19 | Radio Navigation And Landing Aids | AD-2-UASP - 6 |
| UASP AD 2.20 | Local Aerodrome Regulations | AD-2-UASP - 7 |
| UASP AD 2.21 | Noise Abatement Procedures | AD-2-UASP - 8 |
| UASP AD 2.22 | Flight Procedures | AD-2-UASP - 8 |
| UASP AD 2.23 | Additional Information | AD-2-UASP - 10 |

| | | |
|--------------|---|----------------|
| UASP AD 2.24 | Charts Related To An Aerodrome | AD-2-UASP - 11 |
| UASP AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UASP - 11 |
| UACP AD 2 | | AD-2-UACP - 1 |
| UACP AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UACP - 1 |

UACP - PETROPAVLOVSK

| | | |
|--------------|---|----------------|
| UACP AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UACP - 1 |
| UACP AD 2.3 | Operational Hours | AD-2-UACP - 1 |
| UACP AD 2.4 | Handling Services And Facilities | AD-2-UACP - 2 |
| UACP AD 2.5 | Passenger Facilities | AD-2-UACP - 2 |
| UACP AD 2.6 | Rescue And Fire Fighting Services | AD-2-UACP - 2 |
| UACP AD 2.7 | Seasonal Availability - Clearing | AD-2-UACP - 3 |
| UACP AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UACP - 3 |
| UACP AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UACP - 3 |
| UACP AD 2.10 | Aerodrome Obstacles | AD-2-UACP - 3 |
| UACP AD 2.11 | Meteorological Information Provided | AD-2-UACP - 3 |
| UACP AD 2.12 | Runway Physical Characteristics | AD-2-UACP - 4 |
| UACP AD 2.13 | Declared Distances | AD-2-UACP - 5 |
| UACP AD 2.14 | Approach And Runway Lighting | AD-2-UACP - 5 |
| UACP AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UACP - 5 |
| UACP AD 2.16 | Helicopter Landing Area | AD-2-UACP - 6 |
| UACP AD 2.17 | ATS Airspace | AD-2-UACP - 6 |
| UACP AD 2.18 | ATS Communication Facilities | AD-2-UACP - 6 |
| UACP AD 2.19 | Radio Navigation And Landing Aids | AD-2-UACP - 7 |
| UACP AD 2.20 | Local Aerodrome Regulations | AD-2-UACP - 7 |
| UACP AD 2.21 | Noise Abatement Procedures | AD-2-UACP - 10 |
| UACP AD 2.22 | Flight Procedures | AD-2-UACP - 10 |
| UACP AD 2.23 | Additional Information | AD-2-UACP - 12 |
| UACP AD 2.24 | Charts Related To An Aerodrome | AD-2-UACP - 12 |
| UACP AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UACP - 13 |
| UASS AD 2 | | AD-2-UASS - 1 |
| UASS AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UASS - 1 |

UASS - SEMEY

| | | |
|--------------|---|---------------|
| UASS AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UASS - 1 |
| UASS AD 2.3 | Operational Hours | AD-2-UASS - 1 |
| UASS AD 2.4 | Handling Services And Facilities | AD-2-UASS - 2 |
| UASS AD 2.5 | Passenger Facilities | AD-2-UASS - 2 |
| UASS AD 2.6 | Rescue And Fire Fighting Services | AD-2-UASS - 2 |
| UASS AD 2.7 | Seasonal Availability - Clearing | AD-2-UASS - 2 |
| UASS AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UASS - 3 |
| UASS AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UASS - 3 |
| UASS AD 2.10 | Aerodrome Obstacles | AD-2-UASS - 3 |
| UASS AD 2.11 | Meteorological Information Provided | AD-2-UASS - 3 |

| | | |
|------------------------|---|----------------|
| UASS AD 2.12 | Runway Physical Characteristics | AD-2-UASS - 4 |
| UASS AD 2.13 | Declared Distances | AD-2-UASS - 5 |
| UASS AD 2.14 | Approach And Runway Lighting | AD-2-UASS - 5 |
| UASS AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UASS - 6 |
| UASS AD 2.16 | Helicopter Landing Area | AD-2-UASS - 6 |
| UASS AD 2.17 | ATS Airspace | AD-2-UASS - 6 |
| UASS AD 2.18 | ATS Communication Facilities | AD-2-UASS - 6 |
| UASS AD 2.19 | Radio Navigation And Landing Aids | AD-2-UASS - 7 |
| UASS AD 2.20 | Local Aerodrome Regulations | AD-2-UASS - 7 |
| UASS AD 2.21 | Noise Abatement Procedures | AD-2-UASS - 7 |
| UASS AD 2.22 | Flight procedures | AD-2-UASS - 7 |
| UASS AD 2.23 | Additional Information | AD-2-UASS - 10 |
| UASS AD 2.24 | Charts Related To An Aerodrome | AD-2-UASS - 12 |
| UASS AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UASS - 12 |
| UAII AD 2 | | AD-2-UAII - 1 |
| UAII AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UAII - 1 |
| UAII - SHYMKENT | | |
| UAII AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UAII - 1 |
| UAII AD 2.3 | Operational Hours | AD-2-UAII - 1 |
| UAII AD 2.4 | Handling Services And Facilities | AD-2-UAII - 2 |
| UAII AD 2.5 | Passenger Facilities | AD-2-UAII - 2 |
| UAII AD 2.6 | Rescue And Fire Fighting Services | AD-2-UAII - 2 |
| UAII AD 2.7 | Seasonal Availability - Clearing | AD-2-UAII - 3 |
| UAII AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UAII - 3 |
| UAII AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UAII - 4 |
| UAII AD 2.10 | Aerodrome Obstacles | AD-2-UAII - 4 |
| UAII AD 2.11 | Meteorological Information Provided | AD-2-UAII - 4 |
| UAII AD 2.12 | Runway Physical Characteristics | AD-2-UAII - 5 |
| UAII AD 2.13 | Declared Distances | AD-2-UAII - 5 |
| UAII AD 2.14 | Approach And Runway Lighting | AD-2-UAII - 6 |
| UAII AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UAII - 6 |
| UAII AD 2.16 | Helicopter Landing Area | AD-2-UAII - 6 |
| UAII AD 2.17 | ATS Airspace | AD-2-UAII - 6 |
| UAII AD 2.18 | ATS Communication Facilities | AD-2-UAII - 7 |
| UAII AD 2.19 | Radio Navigation And Landing Aids | AD-2-UAII - 7 |
| UAII AD 2.20 | Local Aerodrome Regulations | AD-2-UAII - 8 |
| UAII AD 2.21 | Noise Abatement Procedures | AD-2-UAII - 9 |
| UAII AD 2.22 | Flight Procedures | AD-2-UAII - 9 |
| UAII AD 2.23 | Additional Information | AD-2-UAII - 11 |
| UAII AD 2.24 | Charts Related To An Aerodrome | AD-2-UAII - 12 |
| UAII AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UAII - 13 |
| UAAT AD 2 | | AD-2-UAAT - 1 |

| | | |
|---------------------------|---|---------------|
| UAAT AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UAAT - 1 |
| UAAT - TALDYKORGAN | | |
| UAAT AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UAAT - 1 |
| UAAT AD 2.3 | Operational Hours | AD-2-UAAT - 1 |
| UAAT AD 2.4 | Handling Services And Facilities | AD-2-UAAT - 2 |
| UAAT AD 2.5 | Passenger Facilities | AD-2-UAAT - 2 |
| UAAT AD 2.6 | Rescue And Fire Fighting Services | AD-2-UAAT - 2 |
| UAAT AD 2.7 | Seasonal Availability - Clearing | AD-2-UAAT - 2 |
| UAAT AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UAAT - 3 |
| UAAT AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UAAT - 3 |
| UAAT AD 2.10 | Aerodrome Obstacles | AD-2-UAAT - 3 |
| UAAT AD 2.11 | Meteorological Information Provided | AD-2-UAAT - 3 |
| UAAT AD 2.12 | Runway Physical Characteristics | AD-2-UAAT - 4 |
| UAAT AD 2.13 | Declared Distances | AD-2-UAAT - 5 |
| UAAT AD 2.14 | Approach And Runway Lighting | AD-2-UAAT - 5 |
| UAAT AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UAAT - 5 |
| UAAT AD 2.16 | Helicopter Landing Area | AD-2-UAAT - 5 |
| UAAT AD 2.17 | ATS Airspace | AD-2-UAAT - 6 |
| UAAT AD 2.18 | ATS Communication Facilities | AD-2-UAAT - 6 |
| UAAT AD 2.19 | Radio Navigation And Landing Aids | AD-2-UAAT - 6 |
| UAAT AD 2.20 | Local Aerodrome Regulations | AD-2-UAAT - 6 |
| UAAT AD 2.21 | Noise Abatement Procedures | AD-2-UAAT - 6 |
| UAAT AD 2.22 | Flight Procedures | AD-2-UAAT - 6 |
| UAAT AD 2.23 | Additional Information | AD-2-UAAT - 8 |
| UAAT AD 2.24 | Charts Related To An Aerodrome | AD-2-UAAT - 8 |
| UAAT AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UAAT - 9 |
| UADD AD 2 | | AD-2-UADD - 1 |
| UADD AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UADD - 1 |
| UADD - TARAZ | | |
| UADD AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UADD - 1 |
| UADD AD 2.3 | Operational Hours | AD-2-UADD - 1 |
| UADD AD 2.4 | Handling Services And Facilities | AD-2-UADD - 2 |
| UADD AD 2.5 | Passenger Facilities | AD-2-UADD - 2 |
| UADD AD 2.6 | Rescue And Fire Fighting Services | AD-2-UADD - 2 |
| UADD AD 2.7 | Seasonal Availability - Clearing | AD-2-UADD - 3 |
| UADD AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UADD - 3 |
| UADD AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UADD - 3 |
| UADD AD 2.10 | Aerodrome Obstacles | AD-2-UADD - 4 |
| UADD AD 2.11 | Meteorological Information Provided | AD-2-UADD - 4 |
| UADD AD 2.12 | Runway Physical Characteristics | AD-2-UADD - 4 |
| UADD AD 2.13 | Declared Distances | AD-2-UADD - 5 |
| UADD AD 2.14 | Approach And Runway Lighting | AD-2-UADD - 5 |

| | | |
|--------------|---|----------------|
| UADD AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UADD - 6 |
| UADD AD 2.16 | Helicopter Landing Area | AD-2-UADD - 6 |
| UADD AD 2.17 | ATS Airspace | AD-2-UADD - 6 |
| UADD AD 2.18 | ATS Communication Facilities | AD-2-UADD - 7 |
| UADD AD 2.19 | Radio Navigation And Landing Aids | AD-2-UADD - 7 |
| UADD AD 2.20 | Local Aerodrome Regulations | AD-2-UADD - 7 |
| UADD AD 2.21 | Noise Abatement Procedures | AD-2-UADD - 9 |
| UADD AD 2.22 | Flight Procedures | AD-2-UADD - 9 |
| UADD AD 2.23 | Additional Information | AD-2-UADD - 10 |
| UADD AD 2.24 | Charts Related To An Aerodrome | AD-2-UADD - 11 |
| UADD AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UADD - 11 |
| UATZ AD 2 | | AD-2-UATZ - 1 |
| UATZ AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UATZ - 1 |

UATZ - TENGIZ

| | | |
|--------------|---|----------------|
| UATZ AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UATZ - 1 |
| UATZ AD 2.3 | Operational Hours | AD-2-UATZ - 1 |
| UATZ AD 2.4 | Handling Services And Facilities | AD-2-UATZ - 2 |
| UATZ AD 2.5 | Passenger Facilities | AD-2-UATZ - 2 |
| UATZ AD 2.6 | Rescue And Fire Fighting Services | AD-2-UATZ - 2 |
| UATZ AD 2.7 | Seasonal Availability - Clearing | AD-2-UATZ - 3 |
| UATZ AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UATZ - 3 |
| UATZ AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UATZ - 3 |
| UATZ AD 2.10 | Aerodrome Obstacles | AD-2-UATZ - 3 |
| UATZ AD 2.11 | Meteorological Information Provided | AD-2-UATZ - 4 |
| UATZ AD 2.12 | Runway Physical Characteristics | AD-2-UATZ - 4 |
| UATZ AD 2.13 | Declared Distances | AD-2-UATZ - 5 |
| UATZ AD 2.14 | Approach And Runway Lighting | AD-2-UATZ - 5 |
| UATZ AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UATZ - 5 |
| UATZ AD 2.16 | Helicopter Landing Area | AD-2-UATZ - 6 |
| UATZ AD 2.17 | ATS Airspace | AD-2-UATZ - 6 |
| UATZ AD 2.18 | ATS Communication Facilities | AD-2-UATZ - 7 |
| UATZ AD 2.19 | Radio Navigation And Landing Aids | AD-2-UATZ - 7 |
| UATZ AD 2.20 | Local Aerodrome Regulations | AD-2-UATZ - 7 |
| UATZ AD 2.21 | Noise Abatement Procedures | AD-2-UATZ - 9 |
| UATZ AD 2.22 | Flight procedures | AD-2-UATZ - 9 |
| UATZ AD 2.23 | Additional Information | AD-2-UATZ - 11 |
| UATZ AD 2.24 | Charts Related To An Aerodrome | AD-2-UATZ - 12 |
| UATZ AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UATZ - 12 |
| UAIT AD 2 | | AD-2-UAIT - 1 |
| UAIT AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UAIT - 1 |

UAIT - TURKISTAN

| | | |
|-------------|--|---------------|
| UAIT AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UAIT - 1 |
|-------------|--|---------------|

| | | |
|--------------|---|----------------|
| UAIT AD 2.3 | Operational Hours | AD-2-UAIT - 1 |
| UAIT AD 2.4 | Handling Services And Facilities | AD-2-UAIT - 2 |
| UAIT AD 2.5 | Passenger Facilities | AD-2-UAIT - 2 |
| UAIT AD 2.6 | Rescue And Fire Fighting Services | AD-2-UAIT - 2 |
| UAIT AD 2.7 | Seasonal Availability - Clearing | AD-2-UAIT - 3 |
| UAIT AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UAIT - 3 |
| UAIT AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UAIT - 3 |
| UAIT AD 2.10 | Aerodrome Obstacles | AD-2-UAIT - 4 |
| UAIT AD 2.11 | Meteorological Information Provided | AD-2-UAIT - 4 |
| UAIT AD 2.12 | Runway Physical Characteristics | AD-2-UAIT - 4 |
| UAIT AD 2.13 | Declared Distances | AD-2-UAIT - 5 |
| UAIT AD 2.14 | Approach And Runway Lighting | AD-2-UAIT - 5 |
| UAIT AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UAIT - 6 |
| UAIT AD 2.16 | Helicopter Landing Area | AD-2-UAIT - 6 |
| UAIT AD 2.17 | ATS Airspace | AD-2-UAIT - 6 |
| UAIT AD 2.18 | ATS Communication Facilities | AD-2-UAIT - 7 |
| UAIT AD 2.19 | Radio Navigation And Landing Aids | AD-2-UAIT - 7 |
| UAIT AD 2.20 | Local Traffic Regulations | AD-2-UAIT - 7 |
| UAIT AD 2.21 | Noise Abatement Procedures | AD-2-UAIT - 9 |
| UAIT AD 2.22 | Flight Procedures | AD-2-UAIT - 9 |
| UAIT AD 2.23 | Additional Information | AD-2-UAIT - 10 |
| UAIT AD 2.24 | Charts Related To An Aerodrome | AD-2-UAIT - 11 |
| UAIT AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UAIT - 11 |
| UARR AD 2 | | AD-2-UARR - 1 |
| UARR AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UARR - 1 |

UARR - URALSK

| | | |
|--------------|---|---------------|
| UARR AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UARR - 1 |
| UARR AD 2.3 | Operational Hours | AD-2-UARR - 1 |
| UARR AD 2.4 | Handling Services And Facilities | AD-2-UARR - 2 |
| UARR AD 2.5 | Passenger Facilities | AD-2-UARR - 2 |
| UARR AD 2.6 | Rescue And Fire Fighting Services | AD-2-UARR - 2 |
| UARR AD 2.7 | Seasonal Availability - Clearing | AD-2-UARR - 2 |
| UARR AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UARR - 2 |
| UARR AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UARR - 3 |
| UARR AD 2.10 | Aerodrome Obstacles | AD-2-UARR - 3 |
| UARR AD 2.11 | Meteorological Information Provided | AD-2-UARR - 3 |
| UARR AD 2.12 | Runway Physical Characteristics | AD-2-UARR - 4 |
| UARR AD 2.13 | Declared Distances | AD-2-UARR - 4 |
| UARR AD 2.14 | Approach And Runway Lighting | AD-2-UARR - 5 |
| UARR AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UARR - 5 |
| UARR AD 2.16 | Helicopter Landing Area | AD-2-UARR - 5 |
| UARR AD 2.17 | ATS Airspace | AD-2-UARR - 6 |

| | | |
|--------------|---|----------------|
| UARR AD 2.18 | ATS Communication Facilities | AD-2-UARR - 6 |
| UARR AD 2.19 | Radio Navigation And Landing Aids | AD-2-UARR - 6 |
| UARR AD 2.20 | Local Aerodrome Regulations | AD-2-UARR - 7 |
| UARR AD 2.21 | Noise Abatement Procedures | AD-2-UARR - 7 |
| UARR AD 2.22 | Flight procedures | AD-2-UARR - 7 |
| UARR AD 2.23 | Additional Information | AD-2-UARR - 9 |
| UARR AD 2.24 | Charts Related To An Aerodrome | AD-2-UARR - 10 |
| UARR AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UARR - 10 |
| UASU AD 2 | | AD-2-UASU - 1 |
| UASU AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UASU - 1 |

UASU - URDZHAR

| | | |
|--------------|---|---------------|
| UASU AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UASU - 1 |
| UASU AD 2.3 | Operational Hours | AD-2-UASU - 1 |
| UASU AD 2.4 | Handling Services And Facilities | AD-2-UASU - 2 |
| UASU AD 2.5 | Passenger Facilities | AD-2-UASU - 2 |
| UASU AD 2.6 | Rescue And Fire Fighting Services | AD-2-UASU - 2 |
| UASU AD 2.7 | Seasonal Availability - Clearing | AD-2-UASU - 2 |
| UASU AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UASU - 3 |
| UASU AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UASU - 3 |
| UASU AD 2.10 | Aerodrome Obstacles | AD-2-UASU - 3 |
| UASU AD 2.11 | Meteorological Information Provided | AD-2-UASU - 3 |
| UASU AD 2.12 | Runway Physical Characteristics | AD-2-UASU - 4 |
| UASU AD 2.13 | Declared Distances | AD-2-UASU - 4 |
| UASU AD 2.14 | Approach And Runway Lighting | AD-2-UASU - 4 |
| UASU AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UASU - 4 |
| UASU AD 2.16 | Helicopter Landing Area | AD-2-UASU - 5 |
| UASU AD 2.17 | ATS Airspace | AD-2-UASU - 5 |
| UASU AD 2.18 | ATS Communication Facilities | AD-2-UASU - 5 |
| UASU AD 2.19 | Radio Navigation And Landing Aids | AD-2-UASU - 5 |
| UASU AD 2.20 | Local Aerodrome Regulations | AD-2-UASU - 5 |
| UASU AD 2.21 | Noise Abatement Procedures | AD-2-UASU - 5 |
| UASU AD 2.22 | Flight procedures. | AD-2-UASU - 6 |
| UASU AD 2.23 | Additional Information | AD-2-UASU - 7 |
| UASU AD 2.24 | Charts Related To An Aerodrome | AD-2-UASU - 7 |
| UASU AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UASU - 7 |
| UAAL AD 2 | | AD-2-UAAL - 1 |
| UAAL AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UAAL - 1 |

UAAL - USHARAL

| | | |
|-------------|--|---------------|
| UAAL AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UAAL - 1 |
| UAAL AD 2.3 | Operational Hours | AD-2-UAAL - 1 |
| UAAL AD 2.4 | Handling Services And Facilities | AD-2-UAAL - 1 |
| UAAL AD 2.5 | Passenger Facilities | AD-2-UAAL - 2 |

| | | |
|-------------------------------|---|---------------|
| UAAL AD 2.6 | Rescue And Fire Fighting Services | AD-2-UAAL - 2 |
| UAAL AD 2.7 | Seasonal Availability - Clearing | AD-2-UAAL - 2 |
| UAAL AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UAAL - 2 |
| UAAL AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UAAL - 3 |
| UAAL AD 2.10 | Aerodrome Obstacles | AD-2-UAAL - 3 |
| UAAL AD 2.11 | Meteorological Information Provided | AD-2-UAAL - 3 |
| UAAL AD 2.12 | Runway Physical Characteristics | AD-2-UAAL - 4 |
| UAAL AD 2.13 | Declared Distances | AD-2-UAAL - 4 |
| UAAL AD 2.14 | Approach And Runway Lighting | AD-2-UAAL - 4 |
| UAAL AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UAAL - 5 |
| UAAL AD 2.16 | Helicopter Landing Area | AD-2-UAAL - 5 |
| UAAL AD 2.17 | ATS Airspace | AD-2-UAAL - 5 |
| UAAL AD 2.18 | ATS Communication Facilities | AD-2-UAAL - 5 |
| UAAL AD 2.19 | Radio Navigation And Landing Aids | AD-2-UAAL - 6 |
| UAAL AD 2.20 | Local Aerodrome Regulations | AD-2-UAAL - 6 |
| UAAL AD 2.21 | Noise Abatement Procedures | AD-2-UAAL - 6 |
| UAAL AD 2.22 | Flight Procedures | AD-2-UAAL - 6 |
| UAAL AD 2.23 | Additional Information | AD-2-UAAL - 7 |
| UAAL AD 2.24 | Charts Related To An Aerodrome | AD-2-UAAL - 7 |
| UAAL AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UAAL - 7 |
| UASK AD 2 | | AD-2-UASK - 1 |
| UASK AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UASK - 1 |
| UASK - UST-KAMENOGORSK | | |
| UASK AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UASK - 1 |
| UASK AD 2.3 | Operational Hours | AD-2-UASK - 1 |
| UASK AD 2.4 | Handling Services And Facilities | AD-2-UASK - 2 |
| UASK AD 2.5 | Passenger Facilities | AD-2-UASK - 2 |
| UASK AD 2.6 | Rescue And Fire Fighting Services | AD-2-UASK - 2 |
| UASK AD 2.7 | Seasonal Availability - Clearing | AD-2-UASK - 2 |
| UASK AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UASK - 3 |
| UASK AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UASK - 3 |
| UASK AD 2.10 | Aerodrome Obstacles | AD-2-UASK - 3 |
| UASK AD 2.11 | Meteorological Information Provided | AD-2-UASK - 4 |
| UASK AD 2.12 | Runway Physical Characteristics | AD-2-UASK - 4 |
| UASK AD 2.13 | Declared Distances | AD-2-UASK - 5 |
| UASK AD 2.14 | Approach And Runway Lighting | AD-2-UASK - 5 |
| UASK AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UASK - 5 |
| UASK AD 2.16 | Helicopter Landing Area | AD-2-UASK - 5 |
| UASK AD 2.17 | ATS Airspace | AD-2-UASK - 6 |
| UASK AD 2.18 | ATS Communication Facilities | AD-2-UASK - 6 |
| UASK AD 2.19 | Radio Navigation And Landing Aids | AD-2-UASK - 6 |
| UASK AD 2.20 | Local Aerodrome Regulations | AD-2-UASK - 7 |

| | | |
|--------------|---|----------------|
| UASK AD 2.21 | Noise Abatement Procedures | AD-2-UASK - 7 |
| UASK AD 2.22 | Flight procedures. | AD-2-UASK - 7 |
| UASK AD 2.23 | Additional Information | AD-2-UASK - 11 |
| UASK AD 2.24 | Charts Related To An Aerodrome | AD-2-UASK - 12 |
| UASK AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UASK - 13 |
| UASZ AD 2 | | AD-2-UASZ - 1 |
| UASZ AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UASZ - 1 |

UASZ - ZAISAN

| | | |
|--------------|---|---------------|
| UASZ AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UASZ - 1 |
| UASZ AD 2.3 | Operational Hours | AD-2-UASZ - 1 |
| UASZ AD 2.4 | Handling Services And Facilities | AD-2-UASZ - 2 |
| UASZ AD 2.5 | Passenger Facilities | AD-2-UASZ - 2 |
| UASZ AD 2.6 | Rescue And Fire Fighting Services | AD-2-UASZ - 2 |
| UASZ AD 2.7 | Seasonal Availability - Clearing | AD-2-UASZ - 2 |
| UASZ AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UASZ - 3 |
| UASZ AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UASZ - 3 |
| UASZ AD 2.10 | Aerodrome Obstacles | AD-2-UASZ - 3 |
| UASZ AD 2.11 | Meteorological Information Provided | AD-2-UASZ - 3 |
| UASZ AD 2.12 | Runway Physical Characteristics | AD-2-UASZ - 4 |
| UASZ AD 2.13 | Declared Distances | AD-2-UASZ - 4 |
| UASZ AD 2.14 | Approach And Runway Lighting | AD-2-UASZ - 4 |
| UASZ AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UASZ - 4 |
| UASZ AD 2.16 | Helicopter Landing Area | AD-2-UASZ - 5 |
| UASZ AD 2.17 | ATS Airspace | AD-2-UASZ - 5 |
| UASZ AD 2.18 | ATS Communication Facilities | AD-2-UASZ - 5 |
| UASZ AD 2.19 | Radio Navigation And Landing Aids | AD-2-UASZ - 5 |
| UASZ AD 2.20 | Local Aerodrome Regulations | AD-2-UASZ - 5 |
| UASZ AD 2.21 | Noise Abatement Procedures | AD-2-UASZ - 5 |
| UASZ AD 2.22 | Flight Procedures | AD-2-UASZ - 6 |
| UASZ AD 2.23 | Additional Information | AD-2-UASZ - 7 |
| UASZ AD 2.24 | Charts Related To An Aerodrome | AD-2-UASZ - 7 |
| UASZ AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UASZ - 7 |
| UAKD AD 2 | | AD-2-UAKD - 1 |
| UAKD AD 2.1 | Aerodrome Location Indicator And Name | AD-2-UAKD - 1 |

UAKD - ZHEZKAZGAN

| | | |
|-------------|---|---------------|
| UAKD AD 2.2 | Aerodrome Geographical And Administrative Data | AD-2-UAKD - 1 |
| UAKD AD 2.3 | Operational Hours | AD-2-UAKD - 1 |
| UAKD AD 2.4 | Handling Services And Facilities | AD-2-UAKD - 2 |
| UAKD AD 2.5 | Passenger Facilities | AD-2-UAKD - 2 |
| UAKD AD 2.6 | Rescue And Fire Fighting Services | AD-2-UAKD - 2 |
| UAKD AD 2.7 | Seasonal Availability - Clearing | AD-2-UAKD - 2 |
| UAKD AD 2.8 | Aprons, Taxiways And Check Locations/Positions Data | AD-2-UAKD - 3 |

| | | |
|--------------|---|----------------|
| UAKD AD 2.9 | Surface Movement Guidance And Control System And Markings | AD-2-UAKD - 3 |
| UAKD AD 2.10 | Aerodrome Obstacles | AD-2-UAKD - 3 |
| UAKD AD 2.11 | Meteorological Information Provided | AD-2-UAKD - 3 |
| UAKD AD 2.12 | Runway Physical Characteristics | AD-2-UAKD - 4 |
| UAKD AD 2.13 | Declared Distances | AD-2-UAKD - 4 |
| UAKD AD 2.14 | Approach And Runway Lighting | AD-2-UAKD - 5 |
| UAKD AD 2.15 | Other Lighting, Secondary Power Supply | AD-2-UAKD - 5 |
| UAKD AD 2.16 | Helicopter Landing Area | AD-2-UAKD - 5 |
| UAKD AD 2.17 | ATS Airspace | AD-2-UAKD - 5 |
| UAKD AD 2.18 | ATS Communication Facilities | AD-2-UAKD - 6 |
| UAKD AD 2.19 | Radio Navigation And Landing Aids | AD-2-UAKD - 6 |
| UAKD AD 2.20 | Local Aerodrome Regulations | AD-2-UAKD - 7 |
| UAKD AD 2.21 | Noise Abatement Procedures | AD-2-UAKD - 8 |
| UAKD AD 2.22 | Flight procedures | AD-2-UAKD - 8 |
| UAKD AD 2.23 | Additional Information | AD-2-UAKD - 10 |
| UAKD AD 2.24 | Charts Related To An Aerodrome | AD-2-UAKD - 11 |
| UAKD AD 2.25 | Visual segment surface (VSS) penetrations | AD-2-UAKD - 11 |

THIS PAGE INTENTIONALLY LEFT BLANK